

A2-000 ISOCYANATE

Date of last issue: 03/31/2025
Date of first issue: 05/08/2017

Revision Date:
03/09/2026

SECTION 1. IDENTIFICATION

Product name : A2-000 Isocyanate

Manufacturer or supplier's details

Company name of supplier : NCFI Polyurethanes

Address : 1469 Boggs Dr, Mount Airy, NC 27030

Website : www.ncfi.com

Telephone : (800) 346-8229

Fax : (336) 789-9586

Emergency telephone number : Chemtrec: (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Component of a Polyurethane System.

Restrictions on use : The use of HPF shall be restricted to professional applicators, managers, and helpers who have received adequate health & safety training.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity
- single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

A2-000 ISOCYANATE

- Hazard statements : H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
- Precautionary statements : **Prevention:**
 P261 Avoid breathing mist or vapors.
 P264 Wash skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing must not be allowed out of the workplace.
 P280 Wear protective gloves/ eye protection/ face protection.
 P285 In case of inadequate ventilation wear respiratory protection.
- Response:**
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
 P362 Take off contaminated clothing and wash before reuse.
- Storage:**
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
- Disposal:**
 P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Diphenylmethanediisocyanate, polymeric	9016-87-9	50 - 70
4,4'-methylenediphenyl diisocyanate	101-68-8	30 - 50

A2-000 ISOCYANATE

2,4'-methylenediphenyl diisocyanate	5873-54-1	5 - 10
-------------------------------------	-----------	--------

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Do not leave the victim unattended.
Get medical attention immediately if symptoms occur.
Show this safety data sheet to the doctor in attendance.
- If inhaled : If breathed in, move person into fresh air.
Call a physician or poison control centre immediately.
Keep patient warm and at rest.
Keep respiratory tract clear.
If breathing is difficult, give oxygen.
If breathing is irregular or stopped, administer artificial respiration.
If unconscious, place in recovery position and seek medical advice.
Consult a physician immediately if symptoms such as shortness of breath or asthma are observed.
A hyper-reactive response to even minimal concentrations of diisocyanates may develop in sensitised persons.
The exposed person may need to be kept under medical surveillance for 48 hours.
LC50 (rat) : ca. 490 mg/m³ (4 hours) : using experimentally produced respirable aerosol having aerodynamic diameter <5microns.
Methods used to generate the exposure concentrations in the animal studies use extreme laboratory conditions and does not represent actual exposure conditions of the material in the workplace, storage, transportation or expected use on the market due to the very low vapor pressure. Therefore, these test results cannot be used to for hazard classification of the material. Rather, an acute toxicity estimate is calculated based on weight of evidence and expert judgement and is used to justify a modified classification for acute inhalation toxicity.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Take off contaminated clothing and shoes immediately.
Wash contaminated clothing before reuse.
Thoroughly clean shoes before reuse.
Call a physician if irritation develops or persists.
An MDI study has demonstrated that a polyglycol-based skin cleanser (such as D-Tam™, PEG-400) or corn oil may be more effective than soap and water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

A2-000 ISOCYANATE

		for at least 15 minutes. If easy to do, remove contact lens, if worn. Protect unharmed eye. Keep eye wide open while rinsing. Seek medical advice.
If swallowed	:	Gently wipe or rinse the inside of the mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Keep respiratory tract clear. Keep at rest. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person. Take victim immediately to hospital. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Severe allergic skin reactions, bronchospasm and anaphylactic shock This product is a respiratory irritant and potential respiratory sensitiser: repeated inhalation of vapor or aerosol at levels above the occupational exposure limit could cause respiratory sensitisation. Symptoms may include irritation to the eyes, nose, throat and lungs, possibly combined with dryness of the throat, tightness of chest and difficulty in breathing. The onset of the respiratory symptoms may be delayed for several hours after exposure. A hyper-reactive response to even minimal concentrations of MDI may develop in sensitised persons.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If potential for exposure exists refer to Section 8 for specific personal protective equipment. First Aid responders should pay attention to self-protection and use the recommended protective clothing
Notes to physician	:	Symptomatic and supportive therapy as needed. Following severe exposure medical follow-up should be monitored for at least 48 hours.
		The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Foam Carbon dioxide (CO ₂) Dry powder
Unsuitable extinguishing media	:	Water may be used if no other available and then in copious quantities. Reaction between water and hot isocyanate may be vigorous.
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.

A2-000 ISOCYANATE

		<p>The pressure in sealed containers can increase under the influence of heat.</p> <p>Exposure to decomposition products may be a hazard to health.</p>
Hazardous combustion products	:	<p>Combustion products may include: carbon monoxide, carbon dioxide, nitrogen oxides, hydrocarbons and HCN. In the event of extreme heat (>500 degrees C), aniline is suspected of being formed.</p>
Specific extinguishing methods	:	<p>Cool containers/tanks with water spray.</p>
Further information	:	<p>Standard procedure for chemical fires.</p> <p>Due to reaction with water producing CO₂-gas, a hazardous build-up of pressure could result if contaminated containers are re-sealed.</p> <p>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</p> <p>Prevent fire extinguishing water from contaminating surface water or the ground water system.</p> <p>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</p>
Special protective equipment for firefighters	:	<p>Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.</p>

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	<p>Immediately evacuate personnel to safe areas.</p> <p>Use personal protective equipment.</p> <p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.</p> <p>Ensure adequate ventilation.</p> <p>Keep people away from and upwind of spill/leak.</p> <p>Refer to protective measures listed in sections 7 and 8.</p> <p>Only qualified personnel equipped with suitable protective equipment may intervene.</p> <p>For additional precautions and advice on safe handling, see section 7.</p> <p>Never return spills in original containers for re-use.</p> <p>Make sure that there is a sufficient amount of neutralizing/absorbent material near the storage area.</p> <p>The danger areas must be delimited and identified using relevant warning and safety signs.</p> <p>Treat recovered material as described in the section "Disposal considerations".</p> <p>For disposal considerations see section 13.</p>
Environmental precautions	:	<p>Do not allow uncontrolled discharge of product into the environment.</p> <p>Do not allow material to contaminate ground water system.</p> <p>Prevent product from entering drains.</p> <p>Prevent further leakage or spillage if safe to do so.</p> <p>Local authorities should be advised if significant spillages cannot be contained.</p> <p>If the product contaminates rivers and lakes or drains inform</p>

A2-000 ISOCYANATE

respective authorities.

Methods and materials for containment and cleaning up : Clean-up methods - small spillage
 Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
 Clean contaminated surface thoroughly.
 Sweep up or vacuum up spillage and collect in suitable container for disposal.
 Neutralize small spillages with decontaminant.
 The compositions of liquid decontaminants are given in Section 16.
 Remove and dispose of residues.
 Clean-up methods - large spillage
 If the product is in its solid form:
 Spilled MDI flakes should be picked up carefully.
 The area should be vacuum cleaned to remove remaining dust particles completely.
 If the product is in its liquid form:
 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 Leave to react for at least 30 minutes.
 Shovel into open-top drums for further decontamination.
 Wash the spillage area with water.
 Test atmosphere for MDI vapor.
 Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Technical measures : Ensure that eyewash stations and safety showers are close to the workstation location.

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.
 Avoid formation of aerosol.
 Do not breathe vapors or spray mist.
 Do not breathe vapors/dust.
 Do not swallow.
 Do not get in eyes or mouth or on skin.
 Do not get on skin or clothing.
 Avoid exposure - obtain special instructions before use.
 Smoking, eating and drinking should be prohibited in the application area.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Keep container closed when not in use.
 Open drum carefully as content may be under pressure.
 Dispose of rinse water in accordance with local and national regulations.
 Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not

A2-000 ISOCYANATE

be employed in any process in which this mixture is being used.

- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep in properly labeled containers.
Store locked up.
Protect from moisture.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diphenylmethanediisocyanate, polymeric	9016-87-9	C	0.02 ppm 0.2 mg/m ³	OSHA Z-1
		C	0.02 ppm 0.2 mg/m ³	OSHA P0
		C	0.02 ppm 0.2 mg/m ³	NIOSH REL
		TWA	0.005 ppm 0.05 mg/m ³	NIOSH REL
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0.005 ppm	ACGIH
		TWA	0.005 ppm 0.05 mg/m ³	NIOSH REL
		C	0.02 ppm 0.2 mg/m ³	NIOSH REL
		C	0.02 ppm 0.2 mg/m ³	OSHA Z-1
		C	0.02 ppm 0.2 mg/m ³	OSHA P0
2,4'-methylenediphenyl diisocyanate	5873-54-1	C	0.02 ppm 0.2 mg/m ³	OSHA Z-1
		TWA	0.005 ppm 0.05 mg/m ³	NIOSH REL
		C	0.02 ppm 0.2 mg/m ³	NIOSH REL
		C	0.02 ppm 0.2 mg/m ³	OSHA P0

Personal protective equipment

- Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator

A2-000 ISOCYANATE

Hand protection	<p>complying with an approved standard if a risk assessment indicates this is necessary.</p> <p>Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.</p> <p>In emergency, non-routine and unknown exposure situations, including confined space entries, a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied air respirator (SAR) with auxiliary self-contained air supply, should be used.</p>
Remarks	<p>: The suitability for a specific workplace should be discussed with the producers of the protective gloves.</p> <p>Protective gloves should be worn when handling freshly made polyurethane products to avoid contact with trace residual materials which may be hazardous in contact with skin.</p> <p>Use chemical resistant gloves classified under Standard EN374: protective gloves against chemicals and microorganisms. Examples of glove materials that might provide suitable protection include: Butyl rubber, Chlorinated polyethylene, Polyethylene, Ethyl vinyl alcohol copolymers laminated ("EVAL"), Polychloroprene (Neoprene*), Nitrile/butadiene rubber ("nitrile" or "NBR"), Polyvinyl chloride ("PVC" or "vinyl"), Fluoroelastomer (Viton*).</p> <p>When prolonged or frequently repeated contact may occur, a glove with protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN374) is recommended.</p> <p>When only brief contact is expected, a glove with protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN374) is recommended.</p> <p>Notice: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all requisite workplace factors such as, but not limited to : other chemicals that may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), as well as instructions/specifications provided by the glove supplier</p> <p>By industrial use of aprotic polar solvents for cleaning : Butyl rubber (0.7mm), Nitrile rubber (0.4mm), Chloroprene (0.5mm)</p>
Eye protection	<p>: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.</p> <p>Chemical splash goggles.</p> <p>Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.</p> <p>Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.</p> <p>Ensure that eyewash stations and safety showers are close to the workstation location.</p>

A2-000 ISOCYANATE

Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Recommended: Overall (preferably heavy cotton) or Tyvek-Pro Tech 'C' , Tyvek Pro 'F' disposable coverall.
Protective measures	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: brown, Clear
Odour	: slight, musty
Odour Threshold	: No data is available on the product itself.
pH	: substance/mixture reacts with water
Melting point	: 41 °F / 5 °C Method: Melting / Freezing Temperature
Boiling point	: No data is available on the product itself.
Flash point	: 446 °F / 230 °C Method: closed cup
Evaporation rate	: No data is available on the product itself.
Self-ignition	: > 1112 °F / > 600 °C Method: Auto-Ignition Temperature (Liquids and Gases)
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapor pressure	: 0.00031 Pa (68 °F / 20 °C) Method: Vapor Pressure

A2-000 ISOCYANATE

Relative vapor density	: 8.5 Method: see user defined free text
Relative density	: 1.23 (68 °F / 20 °C)
Density	: 1.23 g/cm ³ (77 °F / 25 °C)
Solubility(ies)	
Water solubility	: No data is available on the product itself.
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	
Viscosity, dynamic	: 195 mPa.s (77 °F / 25 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle size	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reaction with water (moisture) produces CO ₂ -gas. Exothermic reaction with materials containing active hydrogen groups. The reaction becomes progressively more vigorous and can be violent at higher temperatures if the miscibility of the reaction partners is good or is supported by stirring or by the presence of solvents. MDI is insoluble with, and heavier than water and sinks to the bottom but reacts slowly at the interface. A solid water-insoluble layer of polyurea is formed at the interface by liberating carbon dioxide gas.
Conditions to avoid	: Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods.
Incompatible materials	: Acids Amines Bases Metals

A2-000 ISOCYANATE

Hazardous decomposition products : water
: Combustion products may include: carbon monoxide, carbon dioxide, nitrogen oxides, hydrocarbons and HCN. In the event of extreme heat (>500 degrees C), aniline is suspected of being formed.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Remarks: Methods used to generate the exposure concentrations in the animal studies use extreme laboratory conditions and does not represent actual exposure conditions of the material in the workplace, storage, transportation or expected use on the market due to the very low vapor pressure. Therefore, these test results cannot be used to for hazard classification of the material. Rather, an acute toxicity estimate is calculated based on weight of evidence and expert judgement and is used to justify a modified classification for acute inhalation toxicity.

Acute toxicity estimate: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit, male and female): > 9,400 mg/kg
Method: OECD Test Guideline 402

Components:**Diphenylmethanediisocyanate, polymeric:**

Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): 431.18 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 9,400 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

A2-000 ISOCYANATE**4,4'-methylenediphenyl diisocyanate:**

- Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Information given is based on data obtained from similar substances.
- Acute inhalation toxicity : LC50 (Rat, male and female): 431.18 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The component/mixture is moderately toxic after short term inhalation.
- Acute dermal toxicity : LD50 (Rabbit): > 9,400 mg/kg
Remarks: Information given is based on data obtained from similar substances.

2,4'-methylenediphenyl diisocyanate:

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Information given is based on data obtained from similar substances.
- Acute inhalation toxicity : LC50 (Rat, male and female): 431.18 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The component/mixture is moderately toxic after short term inhalation.
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 9,400 mg/kg
Method: OECD Test Guideline 402
GLP: no
Remarks: Information given is based on data obtained from similar substances.

Skin corrosion/irritation**Components:****Diphenylmethanediisocyanate, polymeric:**

- Assessment : Irritating to skin.
Result : Irritating to skin.

4,4'-methylenediphenyl diisocyanate:

- Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.

2,4'-methylenediphenyl diisocyanate:

- Species : Rabbit

A2-000 ISOCYANATE

Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.

Serious eye damage/eye irritation**Components:****Diphenylmethanediisocyanate, polymeric:**

Species : Rabbit
Result : Mild eye irritation
Method : OECD Test Guideline 405
Remarks : largely based on human evidence

4,4'-methylenediphenyl diisocyanate:

Species : Rabbit
Result : Irritating to eyes.
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405

2,4'-methylenediphenyl diisocyanate:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405
Remarks : Information given is based on data obtained from similar substances.
largely based on human evidence

Respiratory or skin sensitisation**Product:**

Assessment : May cause an allergic skin reaction., May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Diphenylmethanediisocyanate, polymeric:**

Exposure routes : Skin
Assessment : The product is a skin sensitiser, sub-category 1B.
Result : The product is a skin sensitiser, sub-category 1B.
Remarks : Information given is based on data obtained from similar substances.

Test Type : Local lymph node assay (LLNA)
Exposure routes : Respiratory Tract
Species : Rat
Assessment : May cause sensitisation by inhalation.
Result : May cause sensitisation by inhalation.

4,4'-methylenediphenyl diisocyanate:

Exposure routes : Skin
Species : Guinea pig
Assessment : May cause sensitisation by skin contact.
Method : OECD Test Guideline 406

A2-000 ISOCYANATE

Result	: May cause sensitisation by skin contact.
Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Respiratory Tract
Species	: Guinea pig
Assessment	: May cause sensitisation by inhalation.
Result	: May cause sensitisation by inhalation.
Assessment	: May cause allergy or asthma symptoms or breathing difficulties if inhaled., May cause an allergic skin reaction.

2,4'-methylenediphenyl diisocyanate:

Exposure routes	: Respiratory Tract
Species	: Guinea pig
Assessment	: May cause sensitisation by inhalation.
Result	: May cause sensitisation by inhalation.
Remarks	: Information given is based on data obtained from similar substances.
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Method	: OECD Test Guideline 406
Result	: May cause sensitisation by skin contact.

Germ cell mutagenicity

Product:

Genotoxicity in vitro	: Concentration: 200 ug/plate Metabolic activation: with and without metabolic activation Method: Directive 67/548/EEC, Annex, B.13/14 Result: negative
Genotoxicity in vivo	: Application Route: Inhalation Result: Not classified due to inconclusive data. Application Route: Inhalation Exposure time: 3 Weeks Dose: 113 mg/m ³ Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Components:

Diphenylmethanediisocyanate, polymeric:

Genotoxicity in vitro	: Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Not classified due to inconclusive data. GLP: yes Test Type: reverse mutation assay Test system: Salmonella typhimurium Concentration: 0 - 1200 µg/plate
-----------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

A2-000 ISOCYANATE

Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: comet assay
Species: Rat (male)
Cell type: Liver cells
Application Route: inhalation (dust/mist/fume)
Dose: 2.5/4.9/12 mg/m³
Method: OECD Test Guideline 489
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Test Type: Micronucleus test
Species: Rat (male)
Cell type: Somatic
Application Route: Inhalation
Exposure time: 3 Weeks
Dose: 113 mg/m³
Method: OECD Test Guideline 474
Result: negative
Remarks: Information given is based on data obtained from similar substances.

4,4'-methylenediphenyl diisocyanate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: Directive 67/548/EEC, Annex, B.13/14
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat (male)
Cell type: Somatic
Application Route: Inhalation
Exposure time: 3 Weeks
Method: OECD Test Guideline 474
Result: negative

Test Type: comet assay
Species: Rat (male)
Cell type: Liver cells
Application Route: inhalation (dust/mist/fume)
Dose: 2.5/4.9/12 mg/m³
Method: OECD Test Guideline 489
Result: negative

2,4'-methylenediphenyl diisocyanate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

A2-000 ISOCYANATE

Genotoxicity in vivo : Test Type: comet assay
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Test Type: Micronucleus test
Species: Rat (male)
Cell type: Somatic
Application Route: Inhalation
Exposure time: 3 Weeks
Method: OECD Test Guideline 474
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Carcinogenicity

Product:

Remarks : Rats have been exposed for two years to a respirable aerosol of polymeric MDI which resulted in a chronic pulmonary irritation at high concentrations. Only at the top level (6 mg/m³), there was a significant incidence of a benign tumour of the lung (adenoma) and one malignant tumour (adenocarcinoma). There were no lung tumours at 1 mg/m³ and no effects at 0.2 mg/m³. Overall, the tumour incidence, both benign and malignant, and the number of animals with the tumours were not different from controls. The increased incidence of lung tumours is associated with prolonged respiratory irritation and the concurrent accumulation of yellow material in the lung, which occurred throughout the study. In the absence of prolonged exposure to high concentrations leading to chronic irritation and lung damage, it is highly unlikely that tumour formation will occur.

Remarks : Industrial use of aprotic polar solvents for cleaning can release hazardous primary aromatic amines (>0.1%)
Based on animal studies, primary aromatic amines are considered as potential carcinogen to humans. Some of those chemicals are proven carcinogens to humans
Provided the recommended personal protective equipment and hygiene measures are applied, no adverse effects to human health are to be expected

Species : Rat, male and female
Application Route : Inhalation
Exposure time : 24 month(s)
Dose : 1 mg/m³
Frequency of Treatment : 5 daily
Method : OECD Test Guideline 453
Result : positive

Species : Rat, male and female
Application Route : Inhalation
Exposure time : 24 month(s)
Dose : 1 mg/m³

A2-000 ISOCYANATE

Frequency of Treatment : 5 daily
 Method : OECD Test Guideline 453
 Result : positive

Components:

Diphenylmethanediisocyanate, polymeric:

Species : Rat, female
 Application Route : Inhalation
 Exposure time : 24 month(s)
 Dose : .7 mg/m³
 Frequency of Treatment : 5 daily
 Result : negative

Species : Rat, male and female
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 24 mon
 Activity duration : 6 h
 Dose : 0, 0.2, 1.0, 6.0 mg/m³
 Frequency of Treatment : 5 days/week
 NOAEL : 1 mg/m³
 LOAEL : 6 mg/m³
 Method : OECD Test Guideline 453

4,4'-methylenediphenyl diisocyanate:

Species : Rat, female
 Application Route : Inhalation
 Exposure time : 24 month(s)
 Activity duration : 17 h
 Dose : 0, 0.2, 0.7, 2.1 mg/m³ mg/m³
 Frequency of Treatment : 5 days/week
 NOEL : 0.7 mg/m³
 LOAEL : 0.23 mg/m³
 Result : positive
 Target Organs : Lungs

2,4'-methylenediphenyl diisocyanate:

Species : Rat, male and female
 Application Route : Inhalation
 Exposure time : 24 month(s)
 Dose : 1 mg/m³
 Frequency of Treatment : 5 daily
 NOAEL : 1 mg/m³
 Method : OECD Test Guideline 453
 Target Organs : Lungs
 Remarks : Information given is based on data obtained from similar substances.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

A2-000 ISOCYANATE

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Product:**

Effects on fertility : Species: Rat, male and female
Application Route: Inhalation
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

Effects on foetal development : Species: Rat, male and female
Application Route: Inhalation
General Toxicity Maternal: 4 mg/m³
Method: OECD Test Guideline 414
Result: No teratogenic effects

Reproductive toxicity - Assessment : No toxicity to reproduction
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Components:**Diphenylmethanediisocyanate, polymeric:**

Effects on foetal development : Test Type: Pre-natal
Species: Rat, females
Application Route: inhalation (dust/mist/fume)
Dose: 0/1/4/12 mg/m³
General Toxicity Maternal: NOAEC: 4 mg/m³
Method: OECD Test Guideline 414
Result: No teratogenic effects

2,4'-methylenediphenyl diisocyanate:

Effects on foetal development : Test Type: Pre-natal
Species: Rat, females
Application Route: Inhalation
General Toxicity Maternal: NOAEC: 4 mg/m³
Developmental Toxicity: NOAEC: 4 mg/m³
Result: No teratogenic effects
Remarks: Information given is based on data obtained from similar substances.

STOT - single exposure**Product:**

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

Components:**Diphenylmethanediisocyanate, polymeric:**

Exposure routes : Inhalation
Target Organs : Respiratory Tract

A2-000 ISOCYANATE

Assessment : May cause respiratory irritation.

4,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation
Target Organs : Respiratory system
Assessment : May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

2,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation., May cause respiratory irritation.

STOT - repeated exposure**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks : Lung decrement has been reported in some studies as a consequence of repeated exposure to MDI. However, this effect can only be observed after inhalation exposure in the tissue at the point of contact and does not represent systemic toxicity. It is a local effect that is already covered by respiratory irritation (STOT single exposure, Cat. 3) and respiratory sensitization (Category 1).

In some humans, but not all, epidemiological studies have found long term decreases in ventilatory function and respiratory symptoms (EU RA 2005). However, there is generally co-exposure to other materials and sometimes also to toluene diisocyanate which may have contributed to lung decrement. Therefore, it is concluded that possible lung effects do not qualify as specific target organ toxicity after repeated exposure in accordance to chapter 3.9.1.6 of the GHS (UNECE 2003). In addition, all warning and safety measures for local effects as well as for acute inhalation toxicity already provide for a protection of workers and professional users that are involved in the handling of MDI.

Components:**Diphenylmethanediisocyanate, polymeric:**

Assessment : May cause damage to organs through prolonged or repeated exposure.

4,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation
Target Organs : Respiratory system
Assessment : May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific

A2-000 ISOCYANATE

target organ toxicant, repeated exposure, category 2.

2,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity**Product:**

Species : Rat, male and female
NOEC : 0.2 mg/m³
Exposure time : 17,520 h
Number of exposures : 5 d
Method : OECD Test Guideline 453

Components:**Diphenylmethanediisocyanate, polymeric:**

Species : Rat, female
LOEC : 1 mg/m³
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 2 years 17 h
Number of exposures : 5 days/week
Dose : 0, 0.2, 0.7, 2.1 mg/m³
Method : Chronic toxicity
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

4,4'-methylenediphenyl diisocyanate:

Species : Rat, female
LOEC : 1 mg/m³
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 2 years 17 h
Number of exposures : 5 days/week
Dose : 0, 0.2, 0.7, 2.1 mg/m³
Method : Chronic toxicity
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

2,4'-methylenediphenyl diisocyanate:

Species : Rat, female
LOEC : 1 mg/m³
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 2 years 17 h
Number of exposures : 5 days/week
Dose : 0, 0.2, 0.7, 2.1 mg/m³
Method : Chronic toxicity

A2-000 ISOCYANATE

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203
- LC0: > 1,000 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 1,640 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water

A2-000 ISOCYANATE

Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : EC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 336 h
Method: OECD Test Guideline 207

Components:

Diphenylmethanediisocyanate, polymeric:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): > 1,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): 31.7 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EL50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
Exposure time: 72 h
Test substance: Fresh water
Method: OECD Test Guideline 201
Remarks: Information given is based on data obtained from similar substances.

EL10 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
Exposure time: 72 h
Test substance: Fresh water
Method: OECD Test Guideline 201
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): >= 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209

EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209
Remarks: Information given is based on data obtained from

A2-000 ISOCYANATE

similar substances.

NOEC (activated sludge): 250 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209
Remarks: Information given is based on data obtained from similar substances.

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Plant toxicity : EC50: >1000 milligram per kilogram
Exposure time: 14 d
Species: *Avena sativa* (oats)
Method: OECD Test Guideline 208

NOEC: >=1000 milligram per kilogram
Exposure time: 14 d
Species: *Avena sativa* (oats)

EC50: >1000 milligram per kilogram
Exposure time: 14 d
Species: *Lactuca sativa* (lettuce)

NOEC: >=1000 milligram per kilogram
Exposure time: 14 d
Species: *Lactuca sativa* (lettuce)
Method: OECD Test Guideline 208

4,4'-methylenediphenyl diisocyanate:

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): 9 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): >= 10 mg/l
Exposure time: 21 d
Test Type: semi-static test

A2-000 ISOCYANATE

Test substance: Fresh water
Method: OECD Test Guideline 211
Remarks: Information given is based on data obtained from similar substances.

- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg
Exposure time: 336 h
- Plant toxicity : EC50: >1000 milligram per kilogram
Exposure time: 14 d
Species: Avena sativa (oats)
- EC50: >1000 milligram per kilogram
Exposure time: 14 d
Species: Lactuca sativa (lettuce)

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

2,4'-methylenediphenyl diisocyanate:

- Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test substance: Fresh water
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3.7 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EL10 (algae): > 100 mg/l
Exposure time: 72 h
Test substance: Fresh water
Method: OECD Test Guideline 201
- NOELR (algae): >= 100 mg/l
Exposure time: 72 h
Test substance: Fresh water
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211
Remarks: Information given is based on data obtained from similar substances.

A2-000 ISOCYANATE

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test substance: Fresh water
Method: OECD Test Guideline 209
Remarks: Information given is based on data obtained from similar substances.

NOEC (activated sludge): 250 mg/l
Exposure time: 3 h
Test substance: Fresh water
Method: OECD Test Guideline 209
Remarks: Information given is based on data obtained from similar substances.

Toxicity to soil dwelling organisms : EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
Remarks: Information given is based on data obtained from similar substances.

Plant toxicity : EC50: >1000 milligram per kilogram
Exposure time: 14 d
Species: Avena sativa (oats)
Method: OECD Test Guideline 208

NOEC: >=1000 milligram per kilogram
Exposure time: 14 d
Species: Avena sativa (oats)
Method: OECD Test Guideline 208

EC50: >1000 milligram per kilogram
Exposure time: 14 d
Species: Lactuca sativa (lettuce)
Method: OECD Test Guideline 208

NOEC: >=1000 milligram per kilogram
Exposure time: 14 d
Species: Lactuca sativa (lettuce)
Method: Terrestrial Plants Test: Seedling Emergence and Seedling Growth Test

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Persistence and degradability**Product:**

Biodegradability : Inoculum: Domestic sewage
Concentration: 30 mg/l
Result: Not biodegradable
Biodegradation: 0 %
Exposure time: 28 d
Method: Inherent Biodegradability: Modified MITI Test (II)

A2-000 ISOCYANATE**Components:****Diphenylmethanediisocyanate, polymeric:**

Biodegradability	:	aerobic Inoculum: Domestic sewage Concentration: 30 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d Method: Inherent Biodegradability: Modified MITI Test (II) Test substance: Fresh water
Biochemical Oxygen Demand (BOD)	:	77 mg/l Incubation time: 28 d Test substance: Fresh water Method: OECD Test Guideline 302C
Stability in water	:	Degradation half life (DT50): 0.8 d (25 °C) Method: No information available. GLP: no Remarks: Fresh water

4,4'-methylenediphenyl diisocyanate:

Biodegradability	:	aerobic Inoculum: activated sludge, non-adapted Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301F Test substance: Fresh water
Stability in water	:	Degradation half life (DT50): 20 hrs (25 °C) Remarks: Fresh water

2,4'-methylenediphenyl diisocyanate:

Biodegradability	:	Inoculum: Domestic sewage Concentration: 30 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d Method: Inherent Biodegradability: Modified MITI Test (II) Remarks: Information given is based on data on the components and the ecotoxicology of similar products.
Biochemical Oxygen Demand (BOD)	:	77 mg/l

Bioaccumulative potential**Product:**

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 200 Remarks: Bioaccumulation is unlikely.
-----------------	---	----------------------------------------------------------------------------------------------------------------

A2-000 ISOCYANATE**Components:****Diphenylmethanediisocyanate, polymeric:**

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 200
Exposure time: 28 d
Concentration: 0.08 mg/l
Test substance: Fresh water
Remarks: Based on data from similar materials

4,4'-methylenediphenyl diisocyanate:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 200
Exposure time: 28 d
Concentration: 0.08 µg/l
Method: OECD Test Guideline 305
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-
octanol/water : log Pow: 4.51 (72 °F / 22 °C)
pH: 7
Method: OECD Test Guideline 117

2,4'-methylenediphenyl diisocyanate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 200
Concentration: 0.08 µg/l
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-
octanol/water : log Pow: 4.52 (68 °F / 20 °C)
pH: 7
Method: OECD Test Guideline 117
GLP: no

Mobility in soil**Components:****4,4'-methylenediphenyl diisocyanate:**

Distribution among
environmental compartments : log Koc: 4.5
Method: QSAR

Stability in soil : Soil temperature: 72 °F / 22 °C
Dissipation time: 24 h
Method: OECD Test Guideline 307

2,4'-methylenediphenyl diisocyanate:

Distribution among
environmental compartments : Koc: 4.5
Method: QSAR

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

A2-000 ISOCYANATE

Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as dangerous goods

IATA-DGR

Not regulated as dangerous goods

IMDG-Code

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

- UN/ID/NA number : NA 3082
Proper shipping name : Other regulated substances, liquid, n.o.s.
(Methylene Diphenyl Diisocyanate)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : no

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging
The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

A2-000 ISOCYANATE

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
4,4'-methylenediphenyl diisocyanate	101-68-8	5000	11904

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitisation
Skin corrosion or irritation
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Diphenylmethanediisocyanate, polymeric	9016-87-9	>= 50 - < 70 %
4,4'-methylenediphenyl diisocyanate	101-68-8	>= 30 - < 50 %

The following chemical(s), >= 0.1%, are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

4,4'-methylenediphenyl diisocyanate	101-68-8
-------------------------------------	----------

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

A2-000 ISOCYANATE

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.


US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Liquid decontaminants (percentages by weight or volume) :

Decontaminant 1 : *- sodium carbonate : 5 - 10 % *- liquid detergent : 0.2 - 2 % *- water : to make up to 100 %

Decontaminant 2 : *- liquid detergent: 20mL *- Water: 700mL *Polyethylene Glycol (PEG 400): 350 mL

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA P0 / C	:	Ceiling limit
OSHA Z-1 / C	:	Ceiling

SAFETY DATA SHEET



A2-000 ISOCYANATE

Date of last issue: 03/31/2025
Date of first issue: 05/08/2017

Revision Date:
03/09/2026

IMPORTANT NOTICES

This notification is a part of the Safety Data Sheet document and must not be detached. Any copying and redistribution of the Safety Data Sheet shall include copying of this notice and attaching the copy to the redistributed Safety Data Sheet copies.

This information is furnished without warranty, expressed, or implied, except that it is accurate to the best knowledge of NCFI. The data on this sheet relates only to the specific material designated herein. NCFI assumes no legal responsibility for use or reliance upon these data.